



32240JR Bearing 2D drawings and 3D CAD models

200 mm x 360 mm x 98 mm KOYO 32240JR tapered roller bearings

Bearing No. 32240JR

Size	200x360x104 mm
Bore Diameter	200 mm
Outer Diameter	360 mm
Width	104 mm
d	200 mm
D	360 mm
T	104 mm
B	98 mm
C	82 mm
a	84,6 mm
r min.	5 mm
r1 min.	4 mm
r2 min.	4 mm
da min.	222 mm
da max	225 mm
Da min	302 mm
Da max.	342 mm
db max.	225 mm
Db min.	340 mm
ra max.	4 mm
rb max.	3 mm
Db	340 mm
Weight	44,2 Kg
Basic dynamic load rating (C)	1240 kN
Basic static load rating (C0)	1880 kN

(Grease) Lubrication Speed	960 r/min
(Oil) Lubrication Speed	1300 r/min
Calculation factor (e)	0,41
Calculation factor (Y0)	0,81
Category	Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / US pound	93.04
Product Group	B04334
Bearing No.	32240JR
r(min)	5
r1(min)	4
Cr	1550
C0r	1880
Cu	200
Grease lub.	960
Oil lub.	1300
a	84.6 mm
da(min)	222
db(max)	225
Da(max)	342
Da(min)	302
Db(min)	340
Sa(min)	11
Sb(min)	22
ra(max)	4
rb(max)	3
e	0.41
Y1	1.48
Y0	0.81
(Refer.) Mass(kg)	44.2



Shandong Jiangshan Industrial Develop...